



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

*Weekly mortality table, foreign and insular cities—Continued.*

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Vladivostok.....	Aug. 21	90,162	24	1	.....	.....	.....	.....	.....	1	.....	.....
Warsaw.....	Aug. 13	781,179	269	20	.....	.....	.....	.....	.....	5	15	3
Winnipeg.....	Oct. 15	135,000	41	5	.....	.....	.....	.....	.....	3	4	.....
Yokohama.....	Sept. 26	407,432	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Zanzibar.....	Aug. 31	75,000	31	3	.....	.....	.....	3	.....	.....	.....	.....
Do.....	Sept. 7	.....	25	4	.....	.....	.....	3	.....	.....	.....	.....
Do.....	Sept. 14	.....	25	4	1	.....	.....	2	.....	.....	.....	.....
												Whooping cough.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES  
(untabulated).

AUSTRIA-HUNGARY—*Brunn*.—Month of August, 1910. Population, 94,500. Total number of deaths from all causes 190, including typhoid fever 2, scarlet fever 1, diphtheria 2, tuberculosis 39.

AZORES—*St. Michaels*.—Month of June, 1910. Population, 131,183. Total number of deaths from all causes 363, including typhoid fever 1, tuberculosis 8.

Month of July, 1910. Total number of deaths 378, including typhoid fever 2, diphtheria 1, tuberculosis 8.

CANADA—*Hamilton*.—Month of September, 1910. Population, 73,000. Total number of deaths from all causes 101, including diphtheria 1, tuberculosis 5.

EGYPT—*Alexandria*.—Month of July, 1910. Population, 420,000. Total number of deaths from all causes 1,204, including typhus fever 1, typhoid fever 13, smallpox 3, measles 19, diphtheria 4, plague 6, tuberculosis 71.

Month of August, 1910. Total number of deaths 1,229, including typhus fever 1, typhoid fever 16, measles 9, diphtheria 5, plague 1, tuberculosis 76.

GREAT BRITAIN.—Week ended September 3, 1910.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 12.1 per 1,000 of the population, which is estimated at 16,940,895.

*Ireland*.—The deaths registered in 21 principal town districts correspond to an annual rate of 15.2 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Newry, viz, 4.2, and the highest at Clonmel, viz, 35.9 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 13.3 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Leith, viz, 7.2, and the highest at Dundee, viz, 20.2 per 1,000. The total number of deaths from all causes was 483, including typhoid fever 3, scarlet fever 5, diphtheria 7.

NEWFOUNDLAND—*St. Johns*.—Year ended December 31, 1909. Population, 43,485. Total number of deaths from all causes 3,683, including measles 12, diphtheria 12, tuberculosis 736.

TAHITI.—Five weeks ended September 26, 1910. Population, 4,000. Total number of deaths from all causes 12. No deaths from contagious diseases.

TURKEY—*Saloniki*.—Four weeks ended August 13, 1910. Population, 143,733. Total number of deaths from all causes 92, including tuberculosis 15. Four weeks ended September 13, 1910. Total number of deaths 76, including typhoid fever 2, tuberculosis 17.

VENEZUELA—*La Guaira*.—Month of September, 1910. Population, 10,000. Total number of deaths from all causes 30, including typhoid fever 6, tuberculosis 3.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

*Surgeon-General,*

*United States Public Health and Marine-Hospital Service.*